

1. PRODUCT AND COMPANY INFORMATION

Trademark Product Name: BK-Nitro

Distributor Info:

Banja Komerc Bekament DOO
34304 Banja
Arandelovac
tel. 034-6777-500
fax. 034-6777-505
e-mail: komercijala@bekament.com

Contact for DS making: e-mail: laboratorija@bekament.com

2. DESCRIPTION, FIELD OF APPLICATION

The product is intended for tools/accessories washing, as well as for degreasing of surfaces.

3. COMPOSITION

Chemical composition Aromatic hydrocarbons, ketones, alcohols and ethers.

Hazardous ingredients: In accordance with Regulation (EC) No 1272/2008 on the Classification, Packaging and Labeling of Hazardous Substances and Mixtures regulating the CLP/GHS Classification and Labeling System, the components of the system of white Portland cement and lime are dangerous ingredients and the product is classified in dangerous products labeled: Dangerous

4. TECHNICAL CHARACTERISTICS

Density g/cm ³ (SRPS EN ISO 2811-1)	0.87-0.90
Packaging, l	0.5; 0.9;

5. OTHER CHARACTERISTICS

Shape and color	Transparent Liquid
Smell:	Characteristic

VOC* content g/l : 870-900

VOC* - Volatile Organic Compound

6. HANDLING AND STORAGE

Use skin and eyes protection Keep the product away from heat sources and ignition. Do not use the tools that sparks. It is forbidden to drink, eat and smoke when handling the chemical. Efficient local ventilation should be provided when the product is used in closed rooms.

Store the product in the original packaging at temperatures of +5C to + 25C away from sources of heat and direct sunlight.

RZ-TLP-102-01

Banja Komerc Bekament d.o.o., Banja / 34304 Arandelovac | www.bekament.com

Expiration date: 36 months

7. PERSONAL PROTECTION

Breathing protection It is not necessary when there is good ventilation of rooms.

Hand and body protection: Preventive use of protective gloves and work suit.

Eyes protection: Use goggles.

8. INFORMATION ABOUT THE PROVISIONS

In accordance with Regulation (EC) No 1272/2008 on the Classification, Packaging and Labeling of Hazardous Substances and Mixtures regulating the CLP/GHS Classification and Labeling System, the components of the system of white Portland cement and lime are dangerous ingredients and the product is classified in dangerous products labeled: Dangerous



Dangerous

Flammable liquids, Category 2: H225

Acute toxicity, Category 4: H302

Eye irritation, Category 2: H319

Carcinogenicity, Category 2: H351

Specific target organ toxicity - single exposure, category 3: H336

Reproductive Toxicity, Category 2: H361d

Specific target organ toxicity - single exposure, category 2: H371

Harmful to aquatic life with long lasting effects, Chronic 3: H412

Danger warnings

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H361d It is suspected that it may harm the fetus.

H371 May cause damage to organs.

H412 Harmful to aquatic life with long lasting effects

Precautionary statements:

P202: Do not handle until all safety precautions have been read and understood

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P308+P311: IF exposed or concerned: Call a POISON CENTER/doctor.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

Supplementary information:

EUH066: Repeated exposure may cause skin dryness or cracking

9. ECOTOXICOLOGICAL INFORMATION

The chemical is harmful to the living world in water with long lasting effects. Avoid spreading spilled chemicals and contact with soil, watercourses, drainage channels and / or sewage.

10. DISPOSAL METHOD

In accordance with local/regional/European/national regulations.

11. NOTES

Banja Komerc Bekament DOO performs product control in its own laboratories, as well as by regular testing in certified laboratories. The Technical Data Sheet is a product of our knowledge and past practical experience and should serve as a recommendation for best results for all users. If the weather and other conditions are different from those in our instructions, our instructions should be taken as general guidelines without any warranty for application.

Banja Komerc Bekament DOO does not assume liability for damage caused by improper use or incorrect selection of products as well as for low quality work.. It is assumed that the contractor has mastered the techniques of installation and use of different products. The aforewritten does not oblige us.

This document replaces all previous versions that are considered invalid from the date of creation.

This document replaces all previous versions that are considered invalid from the date of creation.

Creation date: 8.2.2017.

Pervious version: Version 1.3 – 28.10.2020.

Amendments Chapters: 4,5