

## DECLARATION OF PERFORMANCE

### DoP No. 003-02 BK-Grund Universal

Universal structural base

1. Name and/or type designation of the construction product:

**BK-Grund Universal**

2.Type, batch or serial number or some other element that enables identification of the construction product:

**Stamped on the packaging.**

3. Intended use or uses of the construction product in accordance with the appropriate technical specification or technical regulation:

**Universal structural primer intended for leveling, neutralization, strengthening and waterproofing of the substrate before applying all types of facade paints and decorative plasters, except for silicate paints/plasters. It is recommended to tint the BK-Grund Universal base in the same shade as the top layer.**

4. Name and address of the manufacturer:

**Banja Komerc Bekament DOO,  
132 Kralja Petra Prvog str.,  
34304 Banja, Arandelovac, Serbia**

5. Name and address of representative: /

6. System or systems of assessment and verification of the constancy of performance of the construction product (AVCP), established by the corresponding technical specification or technical regulation:

### **System 4**

7. Applied technical regulation:

/

8. List of essential characteristics and performance of essential characteristics:

Characteristic	Value	Specification
Density, kg/dm <sup>3</sup>	1,55-1,75	EN ISO 2811-1

Adhesion to the substrate, MPa	$\geq 1,0$	EN ISO 4624
Water absorption, kg/m <sup>2</sup> h <sup>0.5</sup>	0,1-0,5 (W2 according to EN1062-1)	EN 1062-3
Maximum particle size, $\mu\text{m}$	< 300 (S2 according to EN 1062-1)	EN ISO 1524
VOC content, g/l	< 2	max. allowed value A(g), 30 g/l

**9. The product BK-Grund Universal was tested within the thermal insulation system Bekatherm Standard and Bekatherm Prestige in accordance with ETAG 004 and an ETA certificate was issued by the Institute of Construction in Ljubljana (Slovenia) (NB: 1304):**

- a. Bekatherm Standard, ETA-14/0231**
- b. Bekatherm Prestige, ETA- 14/0405**

**The product was tested by the Research Institute for Building Materials in Sofia (Bulgaria) (Research Institute for Building Materials, Sofia, Bulgaria, NB: 1950) and a Test Report no. 633/2011 was issued.**

**Product testing was conducted by the Institute for Materials Testing a.d. in Belgrade and the Test Report was issued under the number VHM-1352/21, 06.10.2021.**

The characteristics of the product are in accordance with the characteristics specified in point 8.

This performance declaration is published in accordance with the Law on Construction Products (Official Gazette of RS, No. 83 of October 29, 2018) and EU Regulation, CPR 305/2011 and is solely the responsibility of the manufacturer specified in point 4.

Vesna Jovanović, BSc of Technology Eng.  
 Director of development and technical support  
 In Banja  
 07.07.2023.  
 Signed  
 Round official seal: BANJA komerc BEKAMENT DOO V  
 Banja Arandelovac

