

DECLARATION OF PERFORMANCE

DoP No. 015-01 SiproFix BK90

Adhesive for ceramic tiles for indoor use

1. Name and/or designation of the construction product type:

SiproFix BK 90

2. Type, batch or serial number or some other element that enables identification of the construction product:

Stamped on the packaging.

3. Intended use or uses of the construction product in accordance with the appropriate technical specification or technical regulation:

Standard cement adhesive for gluing ceramic tiles for interior use.

4. Name and address of the manufacturer:

**Banja Komerc Bekament DOO,
132 Kralja Petra Prvog Str.,
34304 Banja, Arandelovac, Serbia**

5. Name and address of representative: /

6. System or systems of assessment and verification of the constancy of performance of the construction product (AVCP), determined by the corresponding technical specification or technical regulation:

System 3

7. Applied technical regulations:

EN 12004:2017

8. List of essential characteristics and performance of essential characteristics:
Classification according to EN 12004: C1

| Characteristics | Value | Specification |
|--|-------|---------------|
| Adhesion after conditioning under normal conditions, N/mm ² | ≥ 0,5 | EN 12004 |

| | | |
|--|---------|------------|
| Adhesion after conditioning in water, N/mm ² | ≥ 0,5 | EN 12004 |
| Adhesion after conditioning at elevated temperature, N/mm ² | ≥ 0,5 | EN 12004 |
| Adhesion after freeze/thaw cycles, N/mm ² | ≥ 0,5 | EN 12004 |
| Slipping, mm | ≤ 0,5 | EN 12004 |
| Fire reaction | Class E | EN 13501-1 |

9. The initial product type test was performed by the Technical and Test Institute for Construction, Prague, Czech Republic, NB: 1020, and a test report no. 1020-CPR-020-042612, on 04.05.2020, was issued.

Product testing was conducted by the Institute for Materials Testing a.d. in Belgrade and the Test Report was issued under number VHM 1903/19, 21.04.2020.

The characteristics of the product are in accordance with the characteristics specified in point 8.

This performance declaration is published in accordance with the Law on Construction Products (Official Gazette of RS, No. 83 of 29 October 2018) and EU Regulation, CPR 305/2011 and is solely the responsibility of the manufacturer specified in point 4.

Vesna Jovanović, BSc of Technology Eng.
Director of development and technical support

In Banja
17.07.2023.

Signed

Round official seal: BANJA komerc BEKAMENT DOO V
Banja Arandjelovac

